

## Delivery Report

---

**From:** postmaster@CBS.onmicrosoft.com [postmaster@CBS.onmicrosoft.com]  
**Sent:** 9/21/2016 9:55:18 PM  
**To:** Cepko, Russ P [Russ.Cepko@cbs.com]  
**Subject:** Delivered: TSCA PCBs: CBS / Former Westinghouse, Rancho Dominguez - CBS Response and EPA Comments: EPCs and PCB Screening Criteria and Cleanup Levels  
**Attachments:** TSCA PCBs: CBS / Former Westinghouse, Rancho Dominguez - CBS Response and EPA Comments: EPCs and PCB Screening Criteria and Cleanup Levels

### Your message

**To:** Leo Brausch  
**CC:** Wilson, Patrick; Cepko, Russ P; Rykaczewski, Dave A.; Romano, Amy M.; Rob Neal; Diana Olson; Cousineau, Mark S.; Carvalho, Moises@DTSC; Shukla.Roy-Semmen@dtsc.ca.gov  
**Subject:** TSCA PCBs: CBS / Former Westinghouse, Rancho Dominguez - CBS Response and EPA Comments: EPCs and PCB Screening Criteria and Cleanup Levels  
**Sent:** 9/21/2016 9:55:11 PM

### Your message has been delivered to the following recipients:

Cepko, Russ P (Russ.Cepko@cbs.com)

Subject: TSCA PCBs: CBS / Former Westinghouse, Rancho Dominguez - CBS Response and EPA Comments: EPCs and PCB Screening Criteria and Cleanup Levels